

AX01 ACCELERATOR™



GENERAL INFORMATION

Accelerator™ AX01 is a potent curing aid. Use Accelerator™ to speed dry time in cool shops on parts that must be handled (or sanded for artwork layouts) or re-coated the same day. Accelerator™ was designed for catalyzed acrylic urethanes and specific polyurethanes to speed up cure time. Accelerator™ can be added to any of the following Kosmic Kolor® products: UC01, UC35, UFC01, UFC19, UFC35, and UMC35 Klears; UB and UFB Solid Colors; SBS10 Bleed Check Sealer, and UK Kandys.



1. MIXING ACCELERATOR™ (AX01)

Use sparingly, up to 1/8 teaspoon per mixed quart.

DO NOT EXCEED 1/8 TEASPOON PER MIXED QUART.

Carefully monitor dry time between coats. Accelerator™ will cause the urethanes to flash between coats much faster and can cause lifting if allowed too much time between coats. Use the touch test:

URETHANE FLASH TEST - PAINT SHOULD BE STICKY AND NOT STRING UP ON FINGER AT THE WETTEST POINT, BEFORE NEXT COAT IS APPLIED.

Approximate time between coats is 5 minutes, depending upon your shop conditions.



ADDITIONAL INFORMATION

Use Accelerator™ only in the following Kosmic Kolor® products:

- UC01 Kosmic Acrylic Urethane Klear
- UC35 Kosmic Acrylic Urethane Klear
- UCC01 Kosmic Acrylic Urethane Kustom Klear
- UFC01 Kosmic Urethane Flo-Klear
- UFC19 Urethane Komply Klear® II
- UFC35 Kosmic Urethane Flo-Klear
- UMC35 Kos-Matte Klear
- UB and UFB Solid Colors
- UK Kandys
- SBS10 Bleed Check Sealer

NOTE: Do not use Accelerator™ in acrylic lacquers, or base coats.

NOTE: Use AX01 sparingly. It can reduce the coating's flexibility and deplete the UV absorber.

NOTES